

Auto-Urine Therapy

Description

Urine Therapy is a form of therapy that involves the use (either orally, topically or via injection) of one's own Urine for therapeutic purposes.

Underlying Rationale for Urine Therapy

The underlying rationale for the effectiveness of Urine Therapy is based on the knowledge that Urine contains numerous substances that possess therapeutic properties including:

- Antibodies (each person produces a unique set Antibodies specific to that individual - these customized Antibodies are excreted from the body via the Urine and Urine Therapy aims to "recycle" these Antibodies).
- Urea (a Nitrogen compound that is a vital element in the Urea Cycle which possesses several therapeutic effects).

Purported Health Benefits of Urine Therapy

Digestive System

Urine Therapy helps to prevent Peptic Ulcers and also accelerates the healing of existing Peptic Ulcers (due to the Urogastrone component of Urine):

Urine Therapy helps to prevent Duodenal Ulcers and also accelerates the healing of existing Duodenal Ulcers. Peer-Reviewed Professional Journals

Urine Therapy helps to prevent Gastric Ulcers and also accelerates the healing of existing Duodenal Ulcers.

Excretory System

Urine Therapy is reported to cure some cases of Cystitis (where Cystitis is caused by proliferation of Eschericia coli).

Urine Therapy reduces the symptoms of (acute) Nephritis and reduces the underlying infection that causes (acute) Nephritis.

Immune System

Urine Therapy may improve the condition of Acquired Immune Deficiency Syndrome (AIDS) patients.

- There are various anecdotal reports of T-Lymphocytes counts improving in AIDS patients using oral Urine Therapy.

- It is known that the Urine of AIDS patients contains Antibodies to the HIV virus (but not the actual HIV virus) that causes AIDS and it has been speculated that oral administration of these Antibodies to HIV via Urine Therapy may be responsible for the effectiveness of Urine Therapy in AIDS patients. Antineoplastons may also contribute to the effects of Urine Therapy.

Urine Therapy may help to alleviate Allergies (the Urine of Allergy patients often contains specific Antibodies to the substances (Antigens) to which the Allergy patient is allergic to):

- The Urea component of Urine dissolves the “foreign” Proteins that form many Antigens.

Urine Therapy inhibits/kills many types of Detrimental Bacteria (due to the Urea content of Urine) including:

- Mycobacterium tuberculosis

Urine Therapy may inhibit the growth of the malignant Cells that occur in Cancer. Types of Cancer that have been reported to respond to Urine Therapy include:

- Breast Cancer
- Colon Cancer
- Kaposi's Sarcoma
- Lung Cancer
- Lymphomas
- Skin Cancer
- Stomach Cancer
- Uterus Cancer

- The specific components of human Urine that are speculated to account for the effectiveness of Urine Therapy in the treatment of Cancer include Human Urine Derivative (HUD), H-11, Retine, Antineoplastons and Uric Acid.

Urine Therapy reduces Fever (due to the presence of an inhibitor of Interleukin 1 in Urine).

Urine Therapy is reported to destroy some types of Viruses (due to the Urea component of Urine dissolving the Protein component of Viruses):

- Urine Therapy may destroy the Varicella-Zoster Virus that causes Chickenpox.
- Urine Therapy may destroy the Measles Virus that causes Measles.
- Urine Therapy may destroy Polio Viruses.

Nervous System

Urine Therapy is reported to alleviate Migraine.

Respiratory System

Urine Therapy alleviates some cases of Asthma.

Urine Therapy alleviates some cases of Hay Fever.

Urine Therapy is reported to alleviate some cases of Tuberculosis.

Urine Therapy alleviates some cases of Whooping Cough.

Sexual System - Male

Urine Therapy kills the Detrimental Bacteria that cause (bacterial forms of) Prostatitis.

Skin

Urine Therapy is reported to alleviate Hives.

Urine Therapy (using a patient's own Urine applied topically) alleviates Tinea.

Urine Therapy helps to prevent Infection of existing Wounds (primarily due to the Urea component of Urine).

Reference:

Christy, M. M. Your Own Perfect Medicine. Future Med, Inc. Scottsdale, Arizona, USA, 1994:84-85.

Sandweiss, D. J., et al. The effect of urine extracts on peptic ulcer. Journ D.D. October 1941:371-382.

Garotescu, M. Treatment of colibacillary cystitis with auto-urine therapy. Romania Medicala. 1935.

Duncan, C. H. Autotherapy. New York, 1918.

Tiberi, R. Value of auto-uro-vaccine therapy in acute hemorrhagic nephritis. La Diagnosi. 14(6/9/34):183-196, 1934.

Linscott, W. D., M.D. Specific immunologic unresponsiveness. Basic and Clinical Immunology. 1982.

Wilson, C. W. M., et al. Auto-immune therapy against human allergic disease: A physiologic disease. Medical Hypotheses. 12:143-158, 1983.

Spiro, Z. F. *Physiology and Chemistry*. 30:182, 1900.

Bjornesjo, K. B. On the effect of human urine on tubercle bacilli II: the tuberculostatic effect of various urine constituents. *Acta Scandinavia*. 25(5):447-455, 1951.

Tsuji, S., et al. Isolation from human urine of a polypeptide having marked tuberculostatic activity. *American Review of Respiratory Diseases*. 91(6):832-838, 1965.

Novak, Dr. Therapeutic results of the use of an auto-urine extract on malignant tumors. *Zeitschrift Innere Medizin*. 1961.

This is a report from a German doctor who employed (with much success) injections of a natural extract of patients' own urine to treat cancers of the breast, colon, lungs, uterus, lymph nodes and stomach.

Hegyeli, A., et al. Preparation of retine from human urine. *Science*. 20:1571-1572, 1963.

A fraction of human urine was isolated and named retinene. It was tested on mice with artificially-induced skin cancer and was found to inhibit the growth of tumors. Larger doses were shown to cause the regression of tumors.

Thompson, J. H. H-11 for cancer. *British Medical Journal*. 7:43, 1943.

H-11 is an anti-cancer urine extract. This study claims that more than 300 doctors and researchers have found that "H-11 was clinically effective in inhibiting the growth of malignant cells in humans".

Krebs, M. The use of convalescent urine in the mitigation of acute infections. 1940.

Lerner, A. M., et al. Neutralizing antibody to polioviruses in normal human urine. *Journal of Clinical Investigation*. 41(4):805-815, 1962.

Plesch, J. *Urine-therapy*. Medical Press (London). 218:371-382, 1947.

Bjornesjo, K. B. On the effect of human urine on tubercle bacilli II: the tuberculostatic effect of various urine constituents. *Acta Scandinavia*. 25(5):447-455, 1951.